WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Pate		1	(11) International Publication Number: WO 97/4276.
H04N 7/173, 7/	15, 7/16	A1	(43) International Publication Date: 13 November 1997 (13.11.97
(21) International Appl		S97/074	and Crew LLP, 8th floor, Two Embarcadero Center, Sar
(22) International Filing (30) Priority Data: 60/016,871	3 May 1996 (03.05.96)	ı	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GF
60/032,038 (60) Parent Application	26 November 1996 (26.11.5	X6) [S HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG
(63) Related by Conti			US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU,
US	60/032,0		TJ. TM). European patent (AT. BE. CH. DF. DK. ES. ET.
Filed on	26 November 1996 (26.11.96	FR. GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).
71) Applicant (for all de	signated States except US): STA [US/US]; 3rd floor, 39650 Liber	RSIGH	r I
Face City 1	. (Odrodj, dia nooi, dyodo Elber	ty Suec	• 1

(72) Inventors; and

(75) Inventors/Applicants (for US only): KLOSTERMAN, Brian, L. [US/US]; 310 Rio Grande Place, San Ramon, CA 94583 (US). SCHEIN, Steven [US/US]; 1326 Hoover Street #10, Menlo Park, CA 94025 (US).

Published

With international search report.


Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: INFORMATION SYSTEM

Fremont, CA 94538 (US).

(57) Abstract

The system and method for displaying an electronic program schedule guide is provided. The system has areas (200) for displaying program schedule information (255). In addition, the system also has areas (220) that may be used for advertising programs, products or services. In another embodiment, the system has areas (520) for displaying messages to the user.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	-				Pempinera publishing i	ilici ilationi	applications under the
AL	Albenia	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	1.ithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourz	SN	
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Senegal
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco		Swaziland
BA	Bosnia and Herzegovma	GE	Georgia	MD	Republic of Moldova	TD	Chad
BB	Barbados	GH	Ghana	MG		TG	Togo
BE	Belgium	GN	Guinea	MK	Madagascar	TJ	Tajikistan
BF	Burkina Faso	GR	Greece	MIK	The former Yugoslav	TM	Turkmenistan
BG	Bulgaria	HU			Republic of Macedonia	TR	Turkey
BJ.	Benin	IE	Hungary	ML	Mali	TT	Trinidad and Tohago
BR	Brazil		Ireland	MN	Mongolia	UA	Ukraine
		11.	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	18	lceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekinan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Swiggerland	KG	Kyrgyzatan	NO	Norway	zw	Zimbabwe
CI	Cote d'Ivorre	KP	Democratic People's	NZ.	New Zealand		r.imoeowe
CM	Cameroon		Republic of Korea	PL.	Poland		
ĆN	China	KR	Republic of Korea	PT	Portugal		
cu	Cuba	KZ	Kazakatan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		

5

10

15

20

25

CROSS REFERENCE TO RELATED APPLICATIONS

This application is a nonprovisional application of U.S. provisional patent application "ADVERTISING 'HOT ZONE' AND RELATED FEATURES," U.S. Serial Number 60/016,871, filed May 3, 1996, having Brian Lee Klosterman as the inventor and assigned to StarSight Telecast, Inc; and U.S. provisional patent application "INFORMATION SYSTEM," U.S. Serial Number 60/032,038, filed November 26, 1996, having Brian Lee Klosterman and Steven Schein as the inventors and assigned to StarSight Telecast, Inc. The 60/016,871 and 60/032,038 applications are hereby incorporated by reference in their entirety.

BACKGROUND OF THE INVENTION

The present invention relates generally to a program schedule guide and, more particularly, to a system and process for allowing a television viewer to access on-screen television program listings and other information services in an easy and convenient way.

The number of television channels available to a user has grown dramatically within the last decade, primarily due to the availability of cable and direct broadcast satellite systems. As the number of programs of potential interest to the viewer has increased, a variety of electronic program guides have been developed to help the viewer select programs of particular interest. For example, commonly assigned U.S. Patent Numbers 4,706,121 and 5,353,121 each describes schedule information processing systems which provide the viewer with a convenient way to select programs based on viewer supplied selection criteria.

30

Given the hectic lifestyle of today's society, a system which provides other information in addition to television program schedule information would be very convenient for the busy viewer. Examples of information viewers may desire are weather information, financial information, and the like. Hence, an information

10

15

20

25

30

system such as a guide with regions reserved for such information would provide a valuable service to a user. Furthermore, these regions could be used for advertising or promotional purposes, which may or may not be interactive, thereby enabling more services to be provided without increasing the cost of the guide.

SUMMARY OF THE INVENTION

The system and method of the present invention provides a program schedule guide with information regions for displaying additional information.

Alternatively, the additional information may be provided by a separate information guide, and a user may "hypertune" from the program schedule guide to the information guide, and vice versa. The information to be displayed is received by a peripheral device which can either be a stand-alone device, such as a set-top box or a web-browser box; or integrated into the user's television, VCR, computer, satellite IRD, cable box, and the like. In addition, the information may be displayed on a computer screen, a television screen, or a television monitor screen.

In a preferred embodiment of the invention, the program guide interactively displays a program schedule guide and the screen contains additional non-interactive information regions which can be used for displaying advertising or promotional messages for products or programs in a static or scrolling manner. The advertising may be for special programming events such as pay-per-view movies, current or upcoming programs, or for merchandise and services or messages to the user. The promotional information may relate to an individual network/broadcaster, or for a selected program, merchandise or services.

In another preferred embodiment of the invention, both the program guide and the information regions are interactive with the user. The interactive information regions may also display information in a static or scrolling manner, and may contain promotional information regarding a current or up-coming program or product advertising information. In addition, if the information region contains advertising information regarding a product, the user may click on the information region to see a billboard or schedule a recording of an infomercial on the product. The interactive program schedule guide and the information regions may further be combined with various other forms of information. Potential sources of additional information include news, sports, and weather. This additional information may

10

15

20

25

30

either be available on command by the user, or continuously displayed within an area of the program guide. In another preferred embodiment, the information is displayed in a separate information guide.

In yet another preferred embodiment, the program guide is noninteractive, however the information regions containing the advertising and
promotional information are interactive and may be either static or scrolling. The
user may activate icons or menu items in the information regions or click on the
region itself to gain access to additional displays of advertising and promotional
information. In this embodiment, the user may switch between full screen display
of the guide and a partial or reduced size picture-in-picture (PIP) window display of
the guide via, for example, an on screen menu with cursor or pointer control. This
feature allows a user to see a large scale version of the guide, or to be able to see
the guide through a PIP window while also getting a "flavor" for a currently
selected show through a partial observation of the show. Preferably in this mode,
the audio for the show also continues to be played.

In preferred embodiments, if an information region is interactive and displays information regarding a program, the user may click on the information region and direct tune to the program if it is currently on. Alternatively, the user may schedule automatic tuning to the program when the program comes on. If the user schedules an "autotune," the system may request confirmation from the user just prior to, or at the time of the scheduled tuning of the program. Alternatively, the system may tune to the program directly. If the program is a pay-per-view program, the system may authorize payment for the program automatically. Preferably, the system will request user confirmation before tuning to or authorizing payment of the program. In addition, the user may choose to record a current program or record a future program. To do this, the user would highlight the program desired on the information region, then choose the record option, and the system would record a current program or asks if it should schedule recording of a future program.

In another preferred embodiment, the advertising or promotional information may appear only during times when the user is more likely to actually be watching the program schedule guide. The guide may further contain commercial icons that allow a user to get more information about the product or

15

25

30

service advertised. In addition, the information displayed may change as the user moves the cursor from cell to cell in the program guide. Alternatively, the information displayed in the information regions may change after the passage of a predetermined number of seconds, regardless of user activity. Additional information regions may be displayed while the user confirms that he/she desires to autotune to an upcoming program. These information regions may contain advertising for products, programs, or services and may be displayed until the user makes his/her confirmation.

A further understanding of the nature and advantages of the present
invention may be realized by reference to the remaining portions of the specification
and the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 illustrates a preferred embodiment of a system on which a program schedule guide according to the present invention may be displayed;

Fig. 2(a) is an illustration of a program schedule guide screen according to the present invention with program information, information icons, and information regions;

Fig. 2(b) is an illustration of a promotional message screen shown to 20 the user when the user selects the information region of Fig. 2(a);

Fig. 3(a) is an illustration of a program schedule guide screen according to the present invention with program information, and information regions;

Fig. 3(b) is an illustration of a promotional message screen shown to the user when the user selects the information region of Fig. 3(a):

Fig. 4(a) is an illustration of an alternate embodiment of the program schedule guide screen according to the present invention with program information and an information region:

Fig. 4(b) is an illustration of a promotional message screen shown to the user when the user selects the information region of Fig. 4(a);

Fig. 5(a) is an illustration of an alternate embodiment of the program schedule guide screen according to the present invention with program information and an information region;

10

15

20

25

Fig. 5(b) is an illustration of a promotional message screen shown to the user when the user selects the information region of Fig. 5(a);

Fig. 6(a) is an illustration of an alternate embodiment of the program schedule guide screen according to the present invention with program information and an information region;

Fig. 6(b) is an illustration of an alternate embodiment of the program schedule guide screen which includes virtual channels:

Fig. 6(c) is an illustration of a submenu screen shown to the user when the user selects the information region of Fig. 6(a) or the virtual channel of Fig. 6(b);

Fig. 6(d) is an illustration of a data page shown to the user when the user selects one of the options shown in the submenu screen of Fig. 6(c);

Fig. 7 is an illustration of an alternate embodiment of the program schedule guide which includes information regions;

Fig. 8 is an illustration of an alternate embodiment of the program schedule guide screen which includes information icons;

Fig. 9(a) is an illustration of an embodiment of the information guide;

Fig. 9(b) is an illustration of a submenu of the information guide with news highlighted;

Fig. 9(c) is an illustration of a news information screen;

Fig. 10(a) is an illustration of an alternate embodiment of a submenu of the information guide with sports highlighted;

Fig. 10(b) is an illustration of a sports submenu;

Fig. 10(c) is an illustration of a sports information screen;

Fig. 11(a) is an illustration of an alternate embodiment of the information screen with weather highlighted;

Fig. 11(b) is an illustration of a weather submenu;

Fig. 11(c) is an illustration of a weather information screen:

Fig. 11(d) is an illustration of an alternate embodiment of the weather

30 submenu;

Fig. 11(e) is an illustration of an alternate embodiment of a weather information screen; and

10

15

20

25

30

Fig. 12 illustrates the hardware elements of a preferred embodiment of the invention

DESCRIPTION OF THE PREFERRED EMBODIMENT

The present invention provides a schedule system which contains information regions for displaying other than television program schedule information. Fig. 1 illustrates a preferred embodiment of television/computer system 100 that displays a program schedule guide according to the present invention. As shown, system 100 includes a distribution center 110 and multiple receiving locations. Distribution center 110 compiles data for a data-stream. In a preferred embodiment, this data-stream is broadcast to receiving locations 116, 118. 120, and 122; and peripheral devices that are located within the receiving locations receive the data-stream. Several methods are available for broadcasting the datastream from distribution center 110 to receiving locations 116-122. For example, satellite 115 may broadcast this data-stream within the vertical blanking interval (VBI) of a television channel (e.g., PBS) or a dedicated channel to receiving locations 116, 118, 120, and 122. Alternatively, the data may also be broadcast out of band, i.e., using non channel specific mechanisms. In another preferred embodiment, the data-stream is provided to receiving locations 116, 118, 120, and 122 via transmission system 113. Transmission system 113 may be, for example, optical fiber, coax cable, telephone line, over the air television broadcast, or the like.

In yet another embodiment, the peripheral devices receive the datastream from, for example, a local service provider 140. Service provider 140
receives the data-stream from distribution center 110 via line 117, and broadcasts
the data-stream to the receiving peripheral devices via satellite 115 (or another
satellite), or via lines 119 and 113. The receiving peripheral devices may be
televisions 130, televisions 134, VCRs 132, VCRs 136, and/or cable, satellite IRD,
web-browser or set-top boxes 138. In still further embodiments, PCTVs or
personal computers may be utilized, or the data-stream may be provided to a
personal computer for use with the computer and/or one or more of the above
devices. Hence, the system is not dependent on hardware platforms, rather it may
be a software application that may be downloaded to different systems.

10

15

20

25

30

In a preferred embodiment, information in the data-stream includes television schedule information, advertising information, news information, weather information, financial information, internet address linking information, and the like. The information in the data-stream may further include messages from the system operator to a specific user or to subscribers of the system in general. Software applications, which may be downloaded from the distribution center or located within the peripheral devices, utilize the schedule information provided in the data-stream to generate a schedule guide. The news, weather, financial, and other information may be included in the schedule guide, or a separate information guide may be generated. Advertising information and messages from the system operator to a user are included on the schedule guide, and may be included on the information guide as well. In yet another preferred embodiment, data in the front and back end of the data-stream may be compressed to send a tickler instead of a regular full screen video display. The tickler would be a PIP window, and because the window size is small, the quality of the picture is sufficient even though it is generated from compressed data.

If the software applications are located within the peripheral devices, they may be stored on a computer-readable storage medium such as a RAM, disk, or other storage device. Where applicable, the computer-readable storage medium may also be a ROM. If the schedule guide is in a grid format, for example, the available channels may be listed on the "y" axis and various times may be listed on the "x" axis. For more information on how the schedule system displays information, see U.S. Patent No. B. 4,706,121, U.S. Patent No. 5,479,266, and U.S. Patent No. 5,479,268. These patents, like the present patent application, are assigned to StarSight Telecast, Inc., and are hereby incorporated by reference in their entirety for all purposes.

In another preferred embodiment, satellite 115 has processing capability. Hence, in addition to distribution center 110, satellite 115 may also compile data for the data-stream. This embodiment is very advantageous as it ensures continued and reliable data transmission in situations where satellite 115 may not be able to receive data from distribution center 110. An example of such situations is during periods of atmospheric or terrestrial interferences, which occur when satellite 115 is in-line with distribution center 110 and the Sun. The Sun.

10

15

20

25

30

having immense energy, emits a lot of noise thereby interfering data transmission from distribution center 110 to satellite 115. With its own data processor, satellite 115 may continue to transmit data, hence, ensuring continued and reliable data transfer to the receiving locations. This embodiment also ensures continued and reliable data transmission when distribution center 110 is out of service.

Fig. 2 is an illustration of a program schedule guide screen according to the present invention. As illustrated, program guide screen 200 has program information, information regions for offering product and program information, and information icons for offering information such as sports, news and the like. Fig. 2 shows only two information regions, 220 and 250, although guide screen 200 may have multiple information regions. As shown in Fig. 2, cell 220 shows a promotion for NBC's program featuring Travolta. Program guide screen 200 also contains an advertisement space 250. This space can be used to provide additional advertising opportunities, an example is advertisements for a system operator. Preferably the space is used for short advertisements that change periodically, for example, on three minute intervals. An example of a suitable advertisement is "Enjoy Coke!". Here cell 250 shows an advertisement from RCA. In another embodiment the information displayed in the information regions may change as the user moves from cell to cell in the program guide. Alternatively, the information may change automatically after the passage of a predetermined number of seconds, regardless of user activity. In addition or as an alternative, there may be commercial icons to allow the user to get more information about the product or service advertised.

Information regions 220 and 250 may be color coded or otherwise visually distinguished. They may also be placed at strategic positions within the guide to better catch the user's attention. As described, when an information region contains program information, such as cell 220, the user may move the cursor to the region (or the cursor may point to the region by default) and tune to the program if it is currently on. If the program is not currently on, the user may schedule an autotune to the program when the program airs. The user may further record a current program or schedule a recording of a future program. When an information region contains product information, such as cell 250, the user may click on the information region to tune to an infomercial on the product.

Alternatively, the user may schedule an autotune to the infomercial at a later time

10

15

20

25

30

period, or schedule a recording of the infomercial on the product. In a two way system, which has a back-channel for transmitting information or requests from the user, the user may also order a product by clicking on an information region and providing the necessary customer information for transmission to a supplier of the product, or to the system operator (service provider).

Portion 240 of guide screen 200 contains cells 245. Each cell 245 indicates the channel number corresponding to the program guide cell 255 lying immediately adjacent to it in the program guide. Instead of, or in combination with the channel number, cells 245 may contain the program service name. For example, a cell 245 may contain the channel number 32, the service name PBS, or both.

The system operator may charge television program providers an additional fee, per time slot, for promoting and featuring programs in the information regions. In this manner, the system operator may provide the guide to a user at a reduced price while providing more information. A number of different display arrangements can be used to draw the user's attention to such "special" programs. For example, the program may be listed first in the program guide, shown in a different typeface, presented in a different color, given additional space for a program description, or have some other form of graphic enhancement, including animation.

Fig. 2(b) is an illustration of a promotional message screen 260.

Screen 260 is shown to the user when information region 220 is interactive, and the user clicks on information region 220. Promotional screen 260 may also contain an icon to allow immediate tuning to the program described by the promotional message. In addition, promotional screen 260 may contain another icon that returns the user to guide 200. Since the system operator may charge a fee for displaying such promotional information, some or all of a message portion 275 may also be used as an additional revenue source.

In Fig. 2(b), portion 275 contains the promotion: "Amid the flash of 70's Disco, an aspiring young dancer" This promotional material, which in this example would typically be provided by NBC, provides the user with several benefits. First, it allows a program to be promoted which is not currently represented in the program schedule guide. Second, portion 275 may be used to

15

20

25

30

provide further information about a specific program, such as the starring actors or a brief description of the program content, thus possibly gaining a larger viewing audience or market share. Third, by promoting a program through prominent featuring of the program in the program guide, the broadcaster may be able to prevent potential viewers from becoming engrossed in a program which is to continue after the start time of the promoted program.

Portion 280 of screen 260 is used to indicate the sponsor of the promotional message shown in portion 275. The sponsor indication can be by broadcaster call letters, channel number, broadcaster name, or broadcaster insignia (e.g., the NBC peacock). It is also possible to eliminate portion 280, thereby enlarging portion 275. Additional information may therefore be displayed in portion 275. Since portion 280 of screen 260 displays information regarding a program, the user may click on the information region and direct tune to the program if it is currently on. Alternatively, the user may schedule automatic tuning to the program when the program comes on. If the user schedules an autotune, the system may request confirmation from the user before tuning to the program, or the system may tune to the program directly. Preferably, the system will request user confirmation before tuning to the program. If user confirmation is requested, additional information regions may be displayed until the user makes his confirmation. These information regions may include advertising for products or services.

If the promoted program is a pay-per-view program, the system may authorize payment for the program automatically. Preferably, the system will request user confirmation before authorizing payment of the program. The user may further choose to record the promoted program, whether it is a current program, a future program, or a pay-per-view program. If the user requests recording of a pay-per-view program, the system may ask for confirmation before authorizing payment for the program. If the user requests recording of a future program, the system may also request user confirmation. Additional information regions may also be displayed while the user confirms his/her recording request.

If an information region displays advertising or promotional material, the user may activate an icon, click on the region, or select a menu item to view additional information about the product or service advertised. From these

10.

15

20

25

30

additional information displays, the user may learn more about the product or service, order the product or service, or find out where the product or service may be obtained. The additional displays would of course allow the user to return to the previous displays after the user has seen the desired information displays.

The invention may also allow the user to switch between full screen display and a PIP window display of the guide via, for example, an on screen menu with cursor control. This feature would allow a user to see a large scale version of the guide, or to be able to see the guide while also getting a "flavor" for a currently selected show through only partial observation of the show. Preferably in this mode, the audio for the show also continues to be played.

Fig. 3(a) is an illustration of a program schedule guide screen 300 with program information 320 and interactive information regions 330 and 340. As can be seen, guide screen 300 does not contain information icons. Hence, more schedule information may be shown on the screen, thereby allowing the user to access more schedule information per screen. Information region 320, like information region 220, promotes a program. In addition, it provides a brief description of the program content, thereby allowing information other than program description to be shown on promotional message screen 350 (Fig. 3(b)). As shown by Fig. 3(b), message screen 350 contains contest information, however, other information related to the program may also be shown on screen 350.

Fig. 4(a) is an illustration of a program schedule guide screen 400. As shown, the user may move a cursor across region 410 to move between the different days of the week. In Fig. 4(a), the user has selected Wednesday. Hence, the schedule information displayed is for Wednesday, and the time shown is the current time. The system knows what time the user is watching television, and automatically adjusts the cursor to be located on default on a cell that corresponds to the current time.

As shown, guide screen 400 has one information region 420, which is promoting a program that may be on shortly or is currently on. Information region 420 is interactive. Hence, if the user clicks on region 420, the user may see message screen 450 (Fig. 4(b)), which displays a description of the program content. In addition, message screen 450 may also display promotional materials about an upcoming program. This way, the system operator may indirectly promote

15

20

25

30

multiple programs on region 420. If the program is currently on, the user may click on icon 460 to tune to the program. If the program will come on shortly, the user will be tuned to the channel that corresponds to the program. Alternatively, the user may click on icon 470 to start recording the program if the program is on. On occasions where the program will come on shortly, the system will start recording the program when the program comes on.

Fig. 5(a) is an illustration of a program schedule guide screen 500.

As shown, guide screen 500 has one information region 520, which is interactive. Information region 520 is promoting a program that will air in the future. In this case, if the user clicks on region 520, the user may see message screen 550 (Fig. 5(b)), which also displays a description of the program content. In another embodiment, message screen 500 may also contain an icon, which the user may click on to view a short video preview. This preview may be shown in a PIP window, and the preview video data may be transmitted in a compressed format. As mentioned, the size of the window allows a decent video display to be generated from compressed data. Message screen 550 also displays promotional materials about an upcoming program. However, because the program will not air until a later date, message screen 550 has icon 560, which when clicked on by the user, will allow the user to schedule an autotune to the program when the program comes on. Once the user has scheduled an autotune, the system will automatically tune to the program when the program airs. Preferably, user confirmation is requested before the system tunes to the program. Alternatively, the user may click on icon 570 to schedule a recording of the program. The system will automatically start recording the program when the program comes on.

In another embodiment, the system may automatically tune a user to a promoted program when the program comes on. This may happen whether or not the user has scheduled an autotune to the program. Preferably, the system will ask the user whether the user wishes to tune to the program before automatically tuning to the program.

The interactive and non-interactive information screens may both be used for displaying scrolling messages or static messages. As discussed, these information screens may be used to promote programs as well as products. In addition, the information screens may also be used to send messages to specific

10

15

30

users, for example, alerting a user that his/her bill is overdue. This is because each guide system has a unique unit address. Hence, the system operator is able to send messages to specific users by sending the messages to the respective unit addresses. Of course, the information screens may be used to send system wide messages to all users. For example, the information screens may be used to send alerts to all users. for example, of an impending disaster. The information screens may further be used to send messages to a specific group of users. For example, the system could send a message to all Magnavox television owners by checking for Magnavox television codes as this information is entered into the system when the user first sets up the system. To ensure that messages to the users are read by the users. such messages will have a bit attached to them that keeps them in the information screen until the user indicates that he/she has seen the message. The user may indicate that he/she has seen the message by pushing a button on a user input device or by clicking on an icon on the guide to clear the message. This way, even though the message may be placed by the system operator in the morning, the user may still see the message when the user watches television at Prime Time. After the message is cleared, the system will place advertisements or promotions appropriate for the time when the message is cleared in the information screen.

Fig. 6(a) is an illustration of a program schedule guide screen 600. 20 As shown, guide screen 600 has an interactive information region 620, which promotes a website connected with a program. In an alternate embodiment (Fig. 6(b)), guide screen 600 may include a virtual channel 640. A virtual channel is a channel that does not tune to television programs; instead, the channel may launch an application, connect to an internet site, connect to a information guide, and the like. In the example as shown in Fig. 6(b), virtual channel 640 contains an internet 25 address - also called a Uniform Resource Locator (URL); hence it connects to an internet site. As shown in Fig. 6(b), region 620 may be used to display promotional materials in this alternate embodiment. If a user selects virtual channel 640 of Fig. 6(b), or information region 620 of Fig. 6(a), the user may see submenu screen 650 of Fig. 6(c).

As shown in Fig. 6(c), the user may choose to connect to the Seinfeld web page, the NBC web page that promotes the Seinfeld show, or the Comedy Network web page by clicking on one of the three website icons 660, 665, and 669.

10

15

20

25

30

respectively. The system will launch a web-browser when the user selects an information region that promotes a website, or tunes to a virtual channel containing a URL. After the user has made his/her selection, the system will insert the URL corresponding to the selected website into the web-browser, which will begin to access the web and search for the website selected by the user to connect the user to the website data page. Hence, if the user selects one of the website icons, the system will connect the user to the website that corresponds to the icon. Fig. 6(d) is an illustration of a web page 680 shown to the user when the user chooses to connect to the NBC web page. As shown, after the user is connected to the page, the user may participate in promotions on the page just as if the user had connected to the page directly through a web-browser.

Fig. 6(d) further shows window 688, which shows the television program that the user was viewing before the user selected virtual channel 640 from program guide screen 600 of Fig. 6(b), or clicked on information region 620 of Fig. 6(a). The user may resume watching the television program by clicking on window 688. This is referred as "hypertuning," and the system will return the user to the program the user was viewing. While the user is viewing the program, the system preferably displays a network icon that the user may click on to hypertune to the web page. Alternatively, the system may display the page in a picture-in-picture window such as window 688 while the viewer is viewing a program. The user may click on the picture-in-picture web page to hypertune to the page.

In another preferred embodiment, after the user has selected either icon 660, 665, or 669 of Fig. 6(c), the user may tune to the program the viewer was watching before accessing the guide. The system will display a "searching" symbol while launching a web-browser and searching for the website that the user has requested. After the system has connected to the website, the system will notify the user that the search is complete, and asks whether the user wishes to hypertune to the web page. In yet another preferred embodiment, the user may click on any program titles shown in the program guide cells, and the system will display a list of one or more websites that are related to the program. The user may select to tune to the program or connect to one of the websites. In addition, the user may click on an icon or press a remote control button to toggle between watching television and browsing the web.

10

15

20

25

30

Fig. 7 is an illustration of a program schedule guide screen 700 with non-interactive program portion 705 and interactive information regions 710 and 715. Portion 705, as shown, is a time slice of schedule information for current programs. Since the user may not interact with portion 705 of guide screen 700, portion 705 may be updated automatically over time to show current and future programs. The amount of future programs shown may be predetermined. Hence, the user may see what is currently on, and what programs will come on up to a predetermined amount of time. However, the user may not obtain more information regarding the programs, tune to the programs from portion 705, or record the programs from portion 705.

As shown in Fig. 7, information region 710 contains program promotional information. Since information region 710 is interactive with the user, the user may click on information region 710 to get further information about the programs shown in the region. The user may further click on information region 710 to tune to the program if it is currently on, or the user may schedule an autotune to the program when it comes on. When autotune is scheduled, the system may or may not notify the user before automatically tuning to the program when the program comes on. Preferably, the system will request confirmation from the user before automatically tuning to the program. Finally, the user may schedule a recording of a future program or begin recording of a program currently on. As discussed, if the system requests confirmation from the user, additional information regions may be displayed while the user confirms his/her request.

Information region 715 may either be a static or scrolling message area that contains selected news or sports information. For example, the latest sports scores can scroll across information region 715. Although in the preferred embodiment, the type of information shown in information region 715 is determined by the system operator, it is also possible to allow the user to select the type of information to be shown in information region 715.

Fig. 8 is an illustration of a program guide screen 800. Screen 800 contains a program schedule portion 805 similar in nature to the schedule guides previously described. In addition, screen 800 contains several information icons 810. Icons 810 can represent local or national weather forecasts, local or national news, sports news, sports scores, financial news, and the like. In response to the

10

15

20

25

30

user selecting one of icons 810, screen 800 may be replaced with one or more additional information screens. For example, the weather information screen may display the current weather conditions or weather predictions for a plurality of regions. The sports score information screen may have icons or regions to represent each of a plurality of sports. A user may click on the individual icons or regions to view another screen dedicated to a single sport, or the sports score information screen may display the scores for different sports and sports teams on the same screen. The financial news information screen may likewise have icons or regions that the user may click on to choose other screens dedicated to specific financial markets. Alternatively, the financial news information screen may combine and display the financial markets on one screen

Fig. 9(a) is an illustration of an information guide screen 900. As shown, information guide screen 900 contains news, weather, sports, and horoscope information, however, other types of information may also be shown by information guide screen 900. As discussed, in an alternate embodiment, an information guide may be provided in addition to the program guide. The information guide may be connected to the program guide, or it may be a separate program. Since the information guide contains news, weather, sports, and other information, it may replace the information icons on the program guide, thereby allowing the program guide screen to show the user more program information.

In Fig. 9(a), the user has selected "National News." Fig. 9(b) is an illustration of a submenu 920 of information guide screen 900. As can be seen, submenu 920 further breaks "National News" down into the different headlines. In a preferred embodiment, the user may tune to CNN or other Network News Station from submenu 920. The system operator may charge a fee for this service, and may allow the user to tune to one or more Network News Station depending on the fees paid by the Network News Providers. Hence, CNN, for example, may pay a premium fee to be the only News Station that the user may connect to from submenu 920. Alternatively, CNN may pay a regular fee, and the user may tune to CNN, and other News Stations that have paid the regular fee.

From submenu 920, the user may highlight one of the headlines to select the headline and obtain the story. In this example, the story is displayed according to Fig. 9(c) in a news information screen 940. Alternatively, the user

10

15

20

25

30

may click on a video icon (not shown) on screen 940 to further view a video clip relating to the story. The system may access the video clip via the video network, i.e., via cable, direct broadcast satellite, and the like. The video clip could be generated from compressed data, and if so, it may be presented in a PIP tickler format. Alternatively, the system may link to, for example, CNN's website, and retrieve an Audio-Video-Interleaved (AVI) file to present a moving picture related to the headline to the user. The video icon may also be available from submenu screen 920. Hence the user may click on the icon to view a video clip of the headline directly instead of reading the story. In another preferred embodiment, the system may automatically activate a video clip corresponding to whichever news headline that the user has selected, thereby eliminating the need for the user to activate an icon in order to view the video clip.

Fig. 10(a) is an illustration of a information guide screen 1000 that is similar to information guide screen 900 except in Fig. 10(a), the user has selected "Pro Scores" instead of "National News." Fig. 10(b) is an illustration of a submenu 1020, which further breaks down "Pro Scores" into the different scoreboards. In a preferred embodiment, similar to the news submenu 920, the user may tune to ESPN or other Sports Station from sports submenu 1020. The system operator may also charge a fee for this service, and may allow the user to tune to one or more Sports Station depending on the fees paid by the Providers. Hence, ESPN may also, for example, pay a premium fee to be the only Sports Station that the user may connect to from submenu 1020. Alternatively, ESPN may pay a regular fee, and the user may tune to ESPN, and other Sports Stations that have also paid the regular fee.

From submenu 1020, the user may highlight one of the scoreboards to select the scoreboard and obtain scores pertaining to the board. In this example, the scores are displayed according to Fig. 10(c) in a sports information screen 1040. As shown in screen 1040, the scores are presented in grid format. Other arrangements may of course be used, so long as the information is presented in a logical fashion. From information screen 1040, the user may also click on a video icon (not shown) to further view a video clip relating to the game. As discussed, the system may access the video clip via the video network, i.e., via cable, direct broadcast satellite, and the like, and this video clip could be generated from

10

15

20

25

30

compressed data. Alternatively, the system may link to, for example, the NFL's website, and retrieve an AVI file, if it is available, to present a moving picture related to the game to the user.

Fig. 11(a) is an illustration of a information guide screen 1100 that is also similar to information guide screen 900 except in Fig. 11(a), the user has selected "Weather" instead of "National News." Fig. 11(b) is an illustration of a submenu 1120, which further breaks down "Weather" into weather forecasts for the different geographic regions. The system displays different local weather forecasts depending on the location of the user. In the example as shown in Fig. 11(b), the user is located in California, along the East Bay; hence, the local weather forecasts are for the different East Bay cities. In another embodiment, the user may specify the geographic region. Hence, the user may obtain also weather information for regions other than where the user is located.

In Fig. 11(b), the user has selected weather forecast for the United States, hence, the user may be shown a U.S. weather information screen 1140 (Fig. 11(c)), which displays the information in a column fashion. Other display arrangements that displays the information in a logical manner may also be used; furthermore, the information may be more detailed than that shown in information screen 1140. Fig. 11(d) is an illustration of a submenu 1160 that is similar to submenu 1120 except in Fig. 11(d), the user has selected weather forecast for Berkeley, instead of for the U.S. Hence, the user is shown a forecast of Berkeley weather in a information screen 1180 (Fig. 11(e)) instead. Since the weather information is for a local region, it is more detailed and provides more information to the user. As shown in Fig. 11(e), the weather information is displayed in a row fashion. Again, other arrangements for presenting the weather information may also be used as long as the information is organized in a logical manner.

Fig. 12 illustrates the hardware elements of one particular embodiment of the invention. As shown, the configuration preferably utilizes a program guide controller 1205 (for example, a data processor), one or more televisions sources 1210, and a TV or computer monitor 1215. These systems may also include a VCR 1220 and a remote control 1225. Program guide system 1205 may be a stand-alone device or it may be incorporated into another system such as a television, a cable decoder, a computer, a PCTV, or a VCR. As shown, program

15

guide system 1205 has a unit address 1230 that is unique to each system. Hence, the system operators may identify system 1205 according to its unique unit address thereby enabling the system operators to send messages to specific users.

Another embodiment of the present invention includes a plug-in program guide controller module 1240. Module 1240 determines the extent of 5 program guide 1205's capabilities. Thus module 1240 may only allow program guide 1205 to provide a non-interactive guide or the guide may not have information icons. When the user wants to upgrade program guide 1205, for example, adding interactive capability, information icons, or more detailed category searching, module 1240 may be replaced with a different module authorizing more extensive guide capabilities. This embodiment has the distinct advantage of allowing the system to be significantly altered without requiring major hardware changes. Since the user upgrades module 1240 to upgrade the guide, the user does not need the system operator to provide technical support. In this scenario the user would merely procure a different module 1240, install the new module into the program guide system 1205, and pay the new fee set by the system operator for the new benefits

Preferably the system operates under the control of software applications on a renewable computer memory. The memory for the software 20 applications may be located in one or more ICs, for example, the plug-in module of the data processor, or in ROM, RAM, FLASH memory or any combination thereof. Accordingly, the disclosures and descriptions herein are intended to be illustrative, but not limiting, of the scope of the invention which is set forth in the following claims.

2

3

television program.

WHAT IS CLAIMED IS:

	- VANDO IV.
1 2	A method of operating an information system comprising:
-	providing an interactive display of television program schedule; and
3	providing an interactive display of additional information.
1	The method of claim 1 wherein said additional information
2	comprises a message to at least one user of said information system.
1	3. The method of claim 1 wherein said additional information
2	comprises information regarding an internet site.

- The method of claim 1 wherein said area for displaying television schedule information contains a virtual channel that does not tune to a
- 1 5. The method of claim 1 wherein said additional information comprises product advertisements.
- 6. The method of claim 1 wherein said additional information
 comprises promotion of a television program.
- 1 7. An information system comprising:
 2 a distribution center for compiling data for a data-stream;
 3 a satellite for broadcasting said data-stream;
 4 receiving stations for receiving said data-stream; and
 5 wherein said satellite has processing capabilities and compiles data for
 6 said data-stream when said satellite is unable to receive data from said distribution
 7 center.
- 1 8. The information system of claim 7 further comprising means 2 for showing a video clip related to a news headline upon user request.

	21
1	9. The information system of claim 7 further comprising mean
2	for showing a video clip related to a sports event upon user request.
1	10. The information system of claim 7 further comprising a plug
2	in program guide controller module that determines the extent of the system's
3	capabilities.
ı	11. A method of operating an info
ŕ	instruction of operating all information system comprising:
	providing an interactive area for displaying television schedule information; and
	providing a non-interactive area for displaying additional information.
	A method of operating an information system comprising:
	providing an non-interactive area for displaying television schedule
	information; and

providing an interactive area for displaying additional information.





Figure 1



ž lands Amid the flash of 70's Disco, young dancer lan production, and his relationship a young woman. aspiring role in a jeopardizes ZMC an

an era, John Travolta The electric performance that (Stereo) Rhodes defined Cynthia

716n 206)

3.5	33.0	Mo					>200				3.8	0 10	
8:00pm	Friends!	Despair in	Kers		a Day's Work	jue Basebal		nce		npy	from RCA.	-800-RCA-FREE f	
U SEPTÖ'	Brand New Friend	Mathnet: Despair	City Slickers	Bingo	All in a [Major league	Batman	Fresh Prince	Avonlea	Ren & Stimpy	Free offer	call 1-800-	Ha. 3(a)
HT THE	ZMU	KPIX	SHOW	HBOE	DISC	ESPN	FAM	4 KRON	PBS	NICK	المعسقات أستثانا	-	
30.5			2	22	2	37	17	4	(3.2	27	Vi. Bost	÷	

episod played show o f you (Employees the this cal charac and Contest e Welch 1-800-NBC-FRND the yourself not elig guest be the Tawnee Identify g and by

Place Place

assroom writin inner-ciț Cecilia Lacks use ials are interviewed segement ن allowing teacher creative in the Louis provocative for teacher Students fanity σ anity in school from

Chicago batt Friday FORGE Son. NOO NBA FINALS the Watch

ARSIGHT SM	HU FRE SAT SUN MONTHE	1 8 H S (0) P H S (1)	PAY INTERNATION OF THE PARTY OF THE	SIGUD WILL HABACK DIRAFTI	ly Hills 90210	Duty	of Death	s of Willoughby Chase]	altons Highway to H		Drew Carey	8.050
STA	W E D STEEL		Mondayi	III.Heat,sidU	Beverly	Jury Duty	Mask of C	Wolves of	Baseball	The Walto	Dateline	Ellen	
	100	30	NBC	\$6 7	K G 0	SHOW	(HBO	DISN	ESPN	FAM	KRON	KPIX	

PG. 5(a)

NON BACKDRAFT November seen this focuses and the fiery blazes, ight up thıs firefighters not Monday Night, Howard with rivalry footage Light up Ron tacular sibling Heats to pectacula including theaters, irector tribute

Friday at 6:(s at Chicago NBA FINALS, Frida ch the Sonics at Catch The

mysterious arsonist

HG. 5(6)

Now You You Hour Hour Hour Hour Hour Hour Hour Ho	ARSIGHT	E WED THUT PRESIDE	<u> </u>			rk Undercover	proof Heart		he Adventures of Huck Finn	Ll Tonight	911	p	.8.	8:05P	
	STAR	NETWEN	4 (DIO) H	enimifieilid	Mainid MNB	New York	Bulletproof	Hrs.	adven !	Baseball	91	Seinfeld	Hours.		
NBC		Oct MMO	30	VBC S		KGO Ne									


16. 60

k, ((b)

8:05P


NBC Seinfeld - Visit Jerry, and NBC on the Web!	(http://www.nbc.com/seinfeld)	<pre>(Must see on NBC tonight!) (http://www.nbc.com.index.html)</pre>	(Internet Comedy Network (http://www.net.comedy.com)
---	-------------------------------	---	--


7 (C)





Check out Cher in NBC's Movie of the Week at 9:00 Tonight	8:00 PM	ES		BASEBALL			THE MAN WHO KNEW TOO MUCH
Check o Movie of the		ROCKFORD FILES	SEINFELD	ESPN MAJOR LEAGUE BASEBALL	SIMPSONS	BATMAN	A&E THE MAN WHO





16 9(k)

issue

states

ARROWS THEN ENTER TO

Techniolloid/Whisiwichanionnion

◆Congress set to pass bil ◆Volunteers team up for k

◆Bad news for some ◆Safety of new cars

→High court ready→Housing deal may→Vacant

to

◆Housing deal may open ◆Vacancies down across ◆Stuntman falls short

nation


judge n door ♦Stuntman falls short ♦Space program hits roadblo

Fig 7(b)

NATIONAL

find ing appear Even 0 how ₩ 0 ₽ are f changi their about device VCR? out Sept. products people discover HOM and figure your new ey, echnology computer? behavior that programming many complicated to(AP)-can licon though instal your that

(ગુ-



FG 10(A.)


000 Leaderboard NBA Scoreboard Scoreboard

SCORES PRO

PGA


	37 F	7 F	31 F	28 F
	31	35	16	21
CORES	F Bal	Det	Was	Cin
REEOAR	StL	NYG	Ind	Jac
0 කිල්ල්	ഥ	ட	ഥ	ட
PRO NELES	10 9	20	13	20
\	S F	Pit	GB	Phi
\\\	Hou	Atl	Tam	Car

PG. (bC)



19.11(4)

Fig. 11(b)



	lito					
7 1800e		Damp	22/17 Lt.Snow	79/60 PCloudy	64/47 PSunny	∲kpnolod 64/99
WEAIHER Trawelepis Foreca	THURSDAY	46/29 Damp	22/17	09/62	24/49	64/99
WEA Wis: Trawel	WEDNESDAY	Albuquerque 58/36 PSunny	Anchorage 16/6 PSunny	Atlanta 72/56 PSunny	Boston 66/48 MSunny	Chicago 68/50 PSunny
-35	WED	A L b 58	Anc 16	Atl 72	Bos 66	ch i 68

FG. 11(c)





Fig. 11(d)



FG. 11(c)



INTERNATIONAL SEARCH REPORT

International application No. PC1/US97/07499

	ASSIFICATION OF SUBJECT MATTER	
US CL	:HO4N 7/173, 7/15, 7/16 : 348/7, 12, 10, 13, 569, 906	
According	to International Patent Classification (IPC) or to both national classification and IPC	
	LDS SEARCHED	
	documentation scarched (classification system followed by classification symbols)	
U.S. :		
0.5.	348/7, 12, 10, 13, 569, 906	
Document	tion searched other than minimum documentation to the extent that such documents are included	
	and a such documents are included	in the fields searched
Electronic	data base consulted during the international search (name of data base and, where practicable	
	the control of the co	, scarch terms used)
C. DOC	CUMENTS CONSIDERED TO BE RELEVANT	
Category*	Charles A.C.	
Category.	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim N
x	WO 95/01059 A /EL OPIN	
	WO 95/01059 A (FLORIN et al) 05 January 1995, figures 7-43.	1-12
X.P	US 5 585 866 A (MILLED et all 17 De	
"	US 5,585,866 A (MILLER et al) 17 December 1996, figures 6-35.	1, 2 and 5-12
- 1	0-33.	
- 1		
- 1	i	
- 1		
- 1	i	
1		
- 1		
1		
- 1	1	
	ł.	
- 1		
Further	documents are listed in the continuous of the Co	
	documents are listed in the continuation of Box C. See patent family annex.	
Spec		ntonnal Filing date or priorsey
Spec		stockel filing date or priority
Speci documents to be	all categories of cased documents: To inter-documents published after the international fills and considered part of puriousiar internace. To inter-documents published after the international fills and considered principle or theory underlying the arranged part of puriousiar internace or another purious and arranged purious arranged purious and arranged purious arranged pur	Linea to the
Speci docu to be carlie	all catagories of cated documents: The defermance of cated documents: Since deferming the general state of the art which is not considered period particular relavance. The part of puriouslar relavance is the comment of particular relavance; the of documents of particular relavance; the of	Linea to the
Speci docu to be carlie	at case prime of cried documents: If the common published with the initiation of the contract	laimed invention cannot be to involve an inventive step
Speci docus to be entide docus cated apacia docus	at case prime of cried documents: If the common published with the initiation of the contract	laimed invention cannot be to involve an inventive step
Specific documents of the second of the seco	all categories of cased documents: The distribution of cased documents: The distribution of the set which is not considered part of puriosite principle or theory materings the areas on in conflict with the explosionary of puriosite principle or theory materings the areas of accument published on or after the international filing data "A comment of puricipal retributions that the publications onto of seacher causion or which is not considered about the publications onto of seacher causion or or other than the comment of puricipal retributions; that is considered to involve a size invanience and commented to involve as invanience that commented to involve as invanience and commented to involve as invanience an	nimed invention cannot be to involve an inventive step nimed invention cannot be up when the document in
Special documents of the control of	all cases orms of cread documents: all cases orms or cases orms or cases orms or considered and and an incollect with the explosion profession or cases or procession or cases or procession or cases or documents published on or after the international filing data or accomment of procession or cases or cases which may throw double on principly claimed or which is a considered and cases of such cases of such cases of such cases or cases or cases of procession or cases of procession or cases of procession or cases or cases of procession or cases or	laimed invention cannot be to involve an inventive step minned inventors cannot be up when the document in consense, such combination of
Specific documents of the precision of t	all categories of cased documents: The considerating the greater state of the set which is not considered provide provided and provide	inimed invention cannot be to involve an inventive step inimed involves cannot be op when the document in consense, such combination of
Special documents to be cartied documents docu	at case error of credit documents; and office are supported of the art which is not considered principle or discovered principle relatives. The document published after the discovered principle or	inimed invention cannot be to involve an inventive step inimed involves cannot be op when the document in consense, such combination of
Special documents to be cartied documents docu	all categories of cread documents: and categories of cread documents: and of purchasine and the set of which is not considered purchasined after purchasined and set of which is not considered purchasined after purchasined and set of purchasined after the discrement of purchasined after them years of accusion purchasined after them, and the set of purchasined after the settlement of purchasined after them, and the settlement of purchasined after the settlement of purchasined after the settlement of purchasined after the settlement of the settlement of purchasined after the settlement of purchasined after the settlement of purchasined after the settlement of the settlement of purchasined after the settlement of the sett	inimed invention cannot be to involve an inventive step inimed involves cannot be op when the document in consense, such combination of
Special documents to be cartied documents docu	at case error of ceal documents, and the state of the sta	inimed invention cannot be to involve an inventive step inimed involves cannot be op when the document in consense, such combination of
Species documents of the process of	at case orms of cased documents: The control of the series of the serie	inimed invention cannot be to involve an inventive step inimed involves cannot be p when the document in consense, such combination of
Specification of the action of	at case orms of cased documents: The control of the series of the serie	inimed invention cannot be to involve an inventive step inimed involves cannot be p when the document in consense, such combination of
Special documents to be carried documents documents documents of the action of the property of	at case error of credit documents. If the document published after the miscreament of the property of production and the the miscreament of the production and the property of production and the property of production and the property clientified or which is an orientation and production and the property clientified or which is a production and the property clientified or which is a production and the property clientified or which is a production and the production are other which the production and the production are other with the production are other with the production and the production are other with the production	inimed invention cannot be to involve an inventive step inimed involves cannot be p when the document in consense, such combination of